





a 3, 8, x, 12 are in order. Their median is 9. Find x. 10 a missing value from the median	b 5 numbers have mean 8 and 3 have mean 4. Find the mean of all 8. 6.5 a combined mean	c 5 numbers have mean 7. Without one, the mean is 6. Find that number. 11 a value removed, from the means	d The mean is 2.4. Find x. <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Value</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>Frequency</td> <td>3</td> <td>x</td> <td>5</td> <td>2</td> </tr> </tbody> </table> $x = 5$ a missing frequency from the mean	Value	1	2	3	4	Frequency	3	x	5	2														
Value	1	2	3	4																							
Frequency	3	x	5	2																							
e Find the quartiles of 1, 4, 6, 7, 9, 10, 12, 15, 16. 5 and 13.5 a quartile between two values	f Find the upper quartile. <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Value</th> <th>0</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> </tr> </thead> <tbody> <tr> <td>Frequency</td> <td>2</td> <td>5</td> <td>4</td> <td>2</td> <td>1</td> <td>1</td> </tr> </tbody> </table> 3 the upper quartile from a table	Value	0	1	2	3	4	5	Frequency	2	5	4	2	1	1	g Find the lower quartile. <pre style="margin: 10px auto;"> 1 2 5 8 2 0 3 3 7 9 3 1 4 6 </pre> Key: 1 2 means 12 18 a quartile from a stem and leaf	h Which class has the lower quartile? <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Class</th> <th>Frequency</th> </tr> </thead> <tbody> <tr> <td>$0 < x \leq 10$</td> <td>6</td> </tr> <tr> <td>$10 < x \leq 20$</td> <td>9</td> </tr> <tr> <td>$20 < x \leq 30$</td> <td>12</td> </tr> <tr> <td>$30 < x \leq 40$</td> <td>3</td> </tr> </tbody> </table> $10 < x \leq 20$ the class with the lower quartile	Class	Frequency	$0 < x \leq 10$	6	$10 < x \leq 20$	9	$20 < x \leq 30$	12	$30 < x \leq 40$	3
Value	0	1	2	3	4	5																					
Frequency	2	5	4	2	1	1																					
Class	Frequency																										
$0 < x \leq 10$	6																										
$10 < x \leq 20$	9																										
$20 < x \leq 30$	12																										
$30 < x \leq 40$	3																										
i Find the percentage above 15.  75% a percentage from a box plot	j How much of B is above A's median?  a quarter comparing two box plots	k Each value goes up by 3. What happens to the interquartile range? it stays the same adding a constant leaves the spread	l The quartiles are 10 and 16. Is 23 more than $1.5 \times \text{IQR}$ above the upper quartile? No (limit 25) testing against $1.5 \times \text{IQR}$																								

a 3, 8, x, 12 are in order. Their median is 9. Find x. 10 a missing value from the median	b 5 numbers have mean 8 and 3 have mean 4. Find the mean of all 8. 6.5 a combined mean	c 5 numbers have mean 7. Without one, the mean is 6. Find that number. 11 a value removed, from the means	d The mean is 2.4. Find x. <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Value</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>Frequency</td> <td>3</td> <td>x</td> <td>5</td> <td>2</td> </tr> </tbody> </table> $x = 5$ a missing frequency from the mean	Value	1	2	3	4	Frequency	3	x	5	2														
Value	1	2	3	4																							
Frequency	3	x	5	2																							
e Find the quartiles of 1, 4, 6, 7, 9, 10, 12, 15, 16. 5 and 13.5 a quartile between two values	f Find the upper quartile. <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Value</th> <th>0</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> </tr> </thead> <tbody> <tr> <td>Frequency</td> <td>2</td> <td>5</td> <td>4</td> <td>2</td> <td>1</td> <td>1</td> </tr> </tbody> </table> 3 the upper quartile from a table	Value	0	1	2	3	4	5	Frequency	2	5	4	2	1	1	g Find the lower quartile. <pre style="margin: 10px auto;"> 1 2 5 8 2 0 3 3 7 9 3 1 4 6 </pre> Key: 1 2 means 12 18 a quartile from a stem and leaf	h Which class has the lower quartile? <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Class</th> <th>Frequency</th> </tr> </thead> <tbody> <tr> <td>$0 < x \leq 10$</td> <td>6</td> </tr> <tr> <td>$10 < x \leq 20$</td> <td>9</td> </tr> <tr> <td>$20 < x \leq 30$</td> <td>12</td> </tr> <tr> <td>$30 < x \leq 40$</td> <td>3</td> </tr> </tbody> </table> $10 < x \leq 20$ the class with the lower quartile	Class	Frequency	$0 < x \leq 10$	6	$10 < x \leq 20$	9	$20 < x \leq 30$	12	$30 < x \leq 40$	3
Value	0	1	2	3	4	5																					
Frequency	2	5	4	2	1	1																					
Class	Frequency																										
$0 < x \leq 10$	6																										
$10 < x \leq 20$	9																										
$20 < x \leq 30$	12																										
$30 < x \leq 40$	3																										
i Find the percentage above 15.  75% a percentage from a box plot	j How much of B is above A's median?  a quarter comparing two box plots	k Each value goes up by 3. What happens to the interquartile range? it stays the same adding a constant leaves the spread	l The quartiles are 10 and 16. Is 23 more than $1.5 \times \text{IQR}$ above the upper quartile? No (limit 25) testing against $1.5 \times \text{IQR}$																								